
MADERO INTERIORS









MADERO INTERIORS

2024 - 2025

The Madero Interior door collection features the latest designs and timeless classics. A range of door models and materials provides options to suit your specific needs. From renovations to new home construction, Madero doors will provide exceptional value and style to your home.

Knock down frames or prehungs are available for every application.

As a major distributor for residential and commercial hardware, Madero Interior can finish the job. Refer to madero.ca for your door and hardware needs.

6	Door Core Selection	28	West Four Aluminum
8-15	Moulded Panel	30-51	Hardware
8	Shaker Doors	30	Pocket Door Hardware
10	West End Collection	32	Sliding Door Hardware
12	Core Moulded Panel	34	Bypass Door Hardware
14	Classic Moulded Panel	36	Barn Door Hardware Kits
	Flush Panel	42	Hinges
16		44	Schlage Hardware
18	Wood Panel	46	Dorex Hardware
20	Glass Panel	48	Emtek Hardware
22-27	Renin Doors	50	Latching Pulls Hardware
22	Complete Barn Door Kits	54	Architectural Hardware
24	Urban Design Bypass		1
26	Top Roll Bypass	58	Frame Options
27	Bottom Roll Bypass	60	Suite Entry
	Doctom Kon Dypass	63	Checklist



Madero Interiors

Partnering with innovative manufacturers, Madero Interiors offers a complete selection of Modern to Classic in doors and hardware designs.

For more product information and options, visit us online at www.madero.ca.



Doors • Hanging Hardware • Locking Hardware • Frames





Madero Interior Doors Core Selection

Hollow Core

Hollow core doors are lighter and generally less expensive, but still durable and dependable.



Solid Core PBC

PBC solid core doors feature a particle board core that provides excellent sound reduction and years of dependable service.



Fire-Rated Core

Fire-rated cores offer fire protection and added safety when used in combination with certified frames and hardware. Available on moulded and flush doors as 20 minute rating.











5PK 5 Panel Smooth Shaker

Shaker Doors

Shaker moulded panel doors feature stile and rail inspired designs with clean simple lines that provide a distinctive look for any interior décor. For increased privacy and sound reduction, choose the solid core option.

Door Moulded design with primed paintable surface. Core Hollow core or solid core (refer to page 7); solid

core recommended for bedrooms and bathrooms

1-3/8" or 1-3/4"; bifold 1-3/8" only Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8),

34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0) Fire Rated 20 minute (1-3/4" only)

Optional 1-3/8" Solid Particle Core (not available in 18")

Warranty 5 year limited

Thickness

Construction Wood stiles, bottom rail 2" MDF to allow minimal trim



3PEK 3 Panel Equal Smooth Shaker



1 Panel Smooth Shaker Lincoln Park



3 Panel Craftsman Smooth Shaker Winslow



2PK 2 Panel Smooth Shaker Logan





West End Collection

The West End Collection features metropolitan inspired designs with bold graphic lines. For increased privacy and sound reduction, choose the embossed slab option.

Door Paintable moulded panel; smooth primed surface

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8),

34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional Safe 'N Sound Solid Core, Emerald Series

Warranty 5 year limited



Berkley 6 Panel Equal with 1 Vertical Panel



Melrose 6 Panel Equal (Not recommended for double doors)





Core Moulded Panel

Moulded Panel doors are a major influence in residential construction. The Madero Interior program features the three most popular designs - 5 Panel Smooth, 2 Panel Smooth and 6 Panel Textured.

Door Moulded design with primed paintable surface.

Core Hollow core or solid core (refer to page 7); solid

core recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8),

34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional 1-3/8" Solid Particle Core (not available in 18")

Warranty 5 year limited

Construction Wood stiles, bottom rail 2" MDF to allow minimal trim



5PSM

5 Panel Smooth 6 Panel 96" Riverside



2PSM

2 Panel Smooth Carrara



6PTX

6 Panel Textured Colonist





Classic Moulded Panel

Moulded Panel doors are the industry benchmark in residential construction. The Madero Interior program has four additional designs available - 2 Panel Arch Textured, 2 Panel Roundtop Smooth, 4 Panel Smooth and the 2 Panel Plank Smooth.

Door Moulded design with primed paintable surface.

Core Hollow core or solid core (refer to page 7); solid

core recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8),

34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional 1-3/8" Solid Particle Core (not available in 18")

Warranty 5 year limited

Construction Wood stiles, bottom rail 2" MDF to allow minimal trim



2PPL2 Panel Plank
Cheyenne | Smooth



2PAT
2 Panel Arch
Classique | Textured



4PSM 4 Panel Coventry | Smooth



2PR 2 Panel Roundtop Roman | Smooth





Flush Panel

Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, wood veneer or pre-finished Marquis Oak.

Core Hollow core or solid core (refer to page 7); solid

core recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8),

34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional 1-3/8" Solid Particle Core (not available in 18")

Warranty 5 year limited

Construction Wood stiles, bottom rail 2" MDF to allow minimal trim

Finish Red Oak, Birch and Lauan require paint or stain. Hardboard

requires paint.



Red Oak Plain Sliced



Natural Birch Rotary Cut



Marquis Oak
Factory Pre-finished



Primed Hardboard (MDF)



Wood Veneer Stile and Rail Doors



Door Natural wood veneer overlay or wood composite

core construction

Profile Raised Panel (A) or Shaker Panel (K);

Panel Designs Refer to woodportdoors.com to use the door configurator

Shaker Designs











Hard Maple MAPLE



Select Alder ALDER



Primed Wood




White Oak WOAK


Raised Panel Designs







True Shaker Panel (K)
Shaker sticking



Glass Panel Doors

Brighten any room with glass interior French Doors. Available in primed MDF engineered wood, with Clear Tempered or White Laminated glass. Can be painted to match any decor.

Door Primed Engineered Wood

Glass Clear Tempered, White Laminated

Door Thickness 1-3/8"

Width 24" (2/0), 28" (2/4), 30" (2/6),

32" (2/8), 36" (3/0)

Height 80" (6/8), 96" (8/0)

Other sizes available upon request.

Glass Options



Clear Tempered PR 271K CT 2/0 PR 271K CT 2/6



White Laminated PR 271K LAM 2/0 PR 271K LAM 2/6





Barn Doors

Built to last, Renin provides an extensive collection of Barn Door kits that are ideal for any room or opening in your home or office. The kits are complete with everything you need to create and hang a barn door - a pre-finished door slab, Matte Black bent strap hardware and matching handle.

Barn Door and Hardware Kit



Stone K Barn Door Kit Silver Oak STONE3/0 SO BKBS

RENIN

Complete Barn Door Kits Include:

Door Pre-finished solid engineered wood sliding barn door

featuring a durable, scratch resistant, smooth finish

that requires no further painting or staining.

Ready-to-hang with pre-drilled mounting holes and

hiding bottom groove for floor guide.

Hardware Hardened steel, bent strap hardware and matching

handle in a rustic Matte Black finish. Optional adjustable wall mounted floor barn door guide to install directly onto

the wall or baseboard.

Thickness 1-3/8"

Height 84" (7/0) Width 36" (3/0)



Sierra Natural Pine Barn Door Kit

SIER3/0 UP BKBS

Supplied unfinished. Paint or stain required.



Boca 1 Panel White Barn Door Kit BOCA3/O PW BKBS



Pavilion 5 Lite Frosted Barn Door Kit

PAV3/0 BW BKBS



Hall 3 Lite Frosted Barn Door Kit

HALL3/0 IA BKBS



Stone K Barn Door Kit Primed White

STONE3/O PW BKBS

Matte Black Bent Strap Hardware





Included Flat Handle





Urban Design Bypass

Twilight 1-Lite | Bypass Door

Full-height, frosted glass set in a Bright White frame makes the Twilight sliding bypass closet door an ideal and functional accent for any room.

- Tool-free, dial-adjust roller closet door hardware.
- · Solid engineered wood is scratch-resistant, will not warp or crack.
- Pre-finished on both sides in Bright White.
- 4mm frosted tempered glass allows for filtered light.
- · Cannot be painted, stained or cut.
- Custom closet door sizes are not available.

RENIN

Frame Finishes



White

Width	Height
47-48"	80-1/4" - 80-7/8"
59-60"	80-1/4" - 80-7/8"
71-72"	80-1/4" - 80-7/8"



Euro 3-Lite | Bypass Door

The European-inspired, 3-lite sliding bypass closet door system showcases frosted glass for translucent light transmission and privacy.

- Tool-free, dial-adjust roller closet door hardware.
- Durable, engineered wood sliding closet doors.
- Pre-finished in scratch-resistant Off-White on both sides.
- · 4mm frosted tempered glass allows for filtered light.
- Upper roll closet door track aligns doors in place and on track, while a no-bottom track system keeps your floors damage-free and avoids tripping hazards with a clear, easy-to-clean opening.
- · Cannot be painted, stained or cut.
- · Custom closet door sizes are not available.



Frame Finishes







Off-White Espresso Iron Age

Width	Height
47-48"	80-1/4" - 80-7/8"
59-60"	80-1/4" - 80-7/8"
71-72"	80-1/4" - 80-7/8"





Top Roll Bypass

Easy-Hang sliding closet door hardware lifts and hooks your door onto its top roll sliding track system for fast installation

- Quick-Click Anti-Jump Connector with bottom guide ensures doors do not disengage from the closet door track.
- Low-profile Invisi-Track system provides a hazard-free opening that allows for easy cleaning and smooth traveling sliding doors.
- Adjustable Easy-Hang closet door hardware corrects out-ofsquare door openings.
- · Pre-finished in Bright White
- Custom sizes are not available.
- The back side of the panels are not painted.


Available Widths: 48", 60", 72", 84", 96" **Available Heights:** 80", 96"



Ashbury 2 Panel Design Steel Frame Bypass Door SLIM 2SQ 48 TR BW



Georgian 6 Panel Design Steel Frame Bypass Door SLIM 6PNL 48 TR BW BY0106BWWTE048080



Bottom Roll Bypass

Sizes Available

Height 80" (6/8), 96" (8/0) **Width Two Panels:**

48" (4/0), 60" (5/0), 72" (6/0), 84" (7/0), 96" (8/0)

Three Panels:

108" (9/0), 120" (10/0), 144" (12/0)

Four Panels:

192" (16/0)

Three and Four panel not available in wide curved stile

RENIN

Frame Finishes







Bright White

Arctic Silver

Satin Gold




Satin S Nickel Ch

Satin Chrome

Bright Chrome





West Four Aluminum

West Four Aluminum (formerly Dorland Doors) produces high-quality exterior aluminum products. The modern industrial trend is now bringing that look into the home.

In Dark Bronze, Clear Anodized, or Black Powder Coat we can fabricate a single door or a complete wall system with a swing door. Watch for more to come with this exciting and new product offering.



Pocket Door Hardware

Johnson Pocket 1500

Suitable for 1-3/8" doors up to 125 lbs each. 1-3/4" requires adapter kit.

This series is designed to carry heavy standard sized doors in 2 x 4 timber or steel framed stud walls. It is versatile and can be adapted for use in non-standard wall thicknesses, block masonry walls, and can be cut down to accept any smaller size door.

Stocking Size Max 36" width x 6/8, 8/0 height; 4-1/2", 6-1/2" wall

thickness

Application Interior, Residential **Capacity** 125 lbs (57 kg) each

Door Thickness 1-3/8", 1-3/4 requires adapter kit

Add-Ons Johnson 1060 Soft-Close Kit

Make your sliding doors soft-close quietly and securely.

Features

- Use with new or existing Johnson Hardware sliding and pocket door hardware.
- · Holds door securely in place.
- · Prevents pinched fingers between door and jamb.







Johnson 1060 Soft Close Kit

Crowder Type C Pocket

Suitable for doors up to 150 lbs.

This series provides easier and quicker installation than a traditional pocket door frame built on site thanks to its quick release hanger.

- · Can be installed in single door or double bi-parting door applications
- · Use with CP-801 Extruded Aluminum Header Track, 6061-T5 Alloy.

Size Suitable for 2/0 to 3/0 wide and 6/8 to 7/0 doors

Application Interior, Residential, Commercial


Capacity 150 lbs each

Door Thickness For 1-3/8" to 1-3/4" wood doors

Add-Ons CC-493 Easy Connect Catch n' Close Hanger

- Provides easier and quicker installation than a traditional pocket door frame built on site.
- Catch n' Close system prevents bouncing and slamming of the sliding doors and can be installed on both the opening and closing ends of the door.





CC-493 Easy Connect Catch n' Close Hanger





Sliding Door Hardware

2610SC Soft-Close Wall Mount Sliding Door Hardware

For Door Weighing up to 165lbs/75kg Each

The 2610SC is a versatile and easy to install soft-closing wall mounted sliding door hardware set ideally suited where the installation of a Pocket Door is not structurally possible or cost effective, including closets, storage rooms or anywhere space is limited. It is for interior use only and not suited for external applications.

Size 48" max width

Application Interior, Residential

Capacity 1-3/8" or 1-3/4" doors up to 165lbs each
Finishes Mill grade aluminum or anodized bronze





KrisTrack KT47 Wall Mount Sliding Door Track



From closet doors to custom room dividing door applications, KrisTrack manufacturers a complete range of sliding door hardware that is sure to meet your specific needs.

Size Width and height of door may vary, provided weight does not

exceed maximum hanger weight listed.

Application Interior, Residential & Commercial

Capacity 1-3/8" or 1-3/4" doors


Finishes Extruded aluminum, mill finish

Add-Ons KT38 Hanger (for 1 door): Max door weight 132lbs (60kg)

KT40 Hanger (for 1 door): Max door weight 220lbs (100kg)







KN Crowder CCSF-493 Barn Door Systems



This all-in-one side mounted kit covers the track and any gap between the track and door. Equipped with our Easy Connect Hangers, this kit makes installation a breeze.

Nylon wheels with precision ball bearings always make for smooth and quiet door operation. For added convenience, an optional snap-on fascia and end caps are available to streamline the installation process and finishing work.

Size Kits available for 24" [610mm] to 72" [1829mm]

wide doors.

Application Interior, Residential, Commercial

Capacity 1-3/8" or 1-3/4" doors up to 150lbs (68kg) each

Finishes Mill finish, Clear or Bronze anodized

Add-Ons CC-480 Fascia

x length based on required size

CC-482 End Cap Pair

Complete with screws for use with CC-480 fascia





Bypass Door Hardware

Johnson 1166 Bypass Track & Hardware

An economical pre-finished gold colored steel bypass track with convex track rails, which provide one point contact between wheel and track. One wheel (7/8" dia.) hangers with three point locking. One inch high woodtone adjustable door guide. Brass-tone steel parts.

Size 48", 60", 72"

Application Interior, Residential

Capacity 1-3/8" or 1-3/4" doors up to 50 lbs (23kg) each

Finishes Gold coloured steel



JOHNSON 1166 48 JOHNSON 1166 60 JOHNSON 1166 72



2-door bypass



3-door bypass



4-door bypass

KrisTrack KT50 Bypass

KrisTrack®

From closet doors to custom room dividing door applications, KrisTrack manufactures a complete range of sliding bypass door hardware that is sure to meet your specific needs.

Size 8 lengths available


Application Interior, Residential & Commercial

Capacity 1-3/8" or 1-3/4" doors, 100-220 lbs (45-99kg) each,

dependent on hanger. Max door height 84"

Finishes Extruded aluminum, mill finish

Optional KT5 Fascia, extruded aluminum painted white, 10 lengths



Crowder C400 Bypass

For Single & Bi-Parting, By-Passing, Pocket or Wall Mounted Doors.

This series provides the ultimate in smooth sliding door track performance. Eight ball bearing, nylon tire wheels per door. Features vertical adjustment by threaded door top plate and locknut. Ideal for mirror covered and solid core doors.

The track comes standard in a mill finish, and the optional snap-on fascia in a clear anodized finish. Custom finishes, such as black anodized or powder-coated, are also available.

Size Kits available for 24" [610mm] to 72" [1829mm] wide doors.

Application Interior, Residential, Commercial
Capacity 1-3/4" doors up to 125lbs each







Mounting Applications



Spectrum Bent Strap



Barn Door Hardware Kit

Doors and handles sold separately.

The Bent Barn Door Hardware Kit strap system features a classic face mount flat strap to hang wood doors on a traditional rail track. The large wheels provide excellent strength and durability as-well-as smoothness of travel along the barn door track.

Barn door kit includes hangers, track, dampers and hanging hardware for one barn door weighing up to 250lbs.

Track available in 78-3/4" x 1-9/16" x 1/4" or 96" x 1-9/16" x 1/4".

Acetal wheels with full metal sealed ball bearings ensures a smooth and quiet glide action.

Left and right track stops include dampers to minimize door slamming and rattling.

Suitable for barn doors 1-3/8" and 1-3/4" thick.

Hanger measures 11-3/8" x 2-3/4" x 2-7/16".

Options on pages 38-41.



BARN DOOR BS CID BD102K-07800-MB



COPPER

Frame Finishes









Matte Black

Burnished

Copper

Satin

Top of Door Strap



Barn Door Hardware Kit

Doors and handles sold separately.

The Top of Door Barn Door Hardware Kit strap system features a classic face mount flat strap to hang wood doors on a traditional rail track. The large wheels provide excellent strength and durability as-well-as smoothness of travel along the barn door track.

Barn door kit includes hangers, track, dampers and hanging hardware for one barn door weighing up to 250lbs.

Track available in 78-3/4" x 1-9/16" x 1/4" or 96" x 1-9/16" x 1/4".

Acetal wheels with full metal sealed ball bearings ensures a smooth and quiet glide action.

Left and right track stops include dampers to minimize door slamming and rattling.

Suitable for barn doors 1-3/8" and 1-3/4" thick.

Hanger measures 4-5/8" x 5-5/16" x 1-15/16".

Options on pages 38-41.



BARN DOOR TDS CID BD101K-07800-MB



Frame Finishes





Matte Black

Satin

Bipart Synchronized Hardware



With Bent Strap Barn Door Kit

Doors and handles sold separately.

Innovative cable-driven synchronizing technology enables the simultaneous opening and closing of bi-parting doors with just one hand. By pulling on one handle, both doors glide open or closed in unison. Add functionality and versatility with this easy-to-install hardware offering.

Barn door kit includes hangers, track, dampers and hanging hardware for one barn door weighing up to 250lbs.

Track available in 78-3/4" x 1-9/16" x 1/4" or 96" x 1-9/16" x 1/4".

Acetal wheels with full metal sealed ball bearings ensures a smooth and quiet glide action.

Left and right track stops include dampers to minimize door slamming and rattling.

Suitable for barn doors 1-3/8" and 1-3/4" thick.

Hanger measures 11-3/8" x 2-3/4" x 2-7/16".



BARN DOOR BS CID BD102K-07800-MB



CABLE DRIVEN SYSTEM | MATTE BLACK





BYPASS ST78 MB BD280K-07800-MB

BYPASS ST78 SN BD280K-07800-SN

Single Track Bypass



Barn Door Hardware Kit

Doors and handles sold separately.

A modern twist to a Bent Strap hanger allows the use of the single track for your double barn doors to bypass over each other while still maintaining the smoothness of travel along the track. Available in Matte Black or Satin Nickel.

Quick Hang Hardware for direct to wall installation with no need for a backer board.

Hardened Steel Hardware with offset hangers designed to allow two panels to bypass over an opening on a single flat track.

Door Compatibility Formula:

- · Divide door opening by two.
- Add 4" per slab (Example: 60" Opening / 2 = 30"+ 4"= 34" Door Slabs Width to fit a 60" Opening)

Door and handles sold separately.

This hardware kit is not compatible with the Easy Clip Soft Close hardware kit.



Barn Door Hardware Accessories





Deben

- 10" Handle
- · Tubular Design
- · Includes handle and mounting hardware
- Ideal for 1-3/16" to 1-3/4" thick doors. Also can be applied onto custom thicker doors
- · Finshes: Matte Black, Satin Nickel





ALPERTON HANDLE SN

ALPERTON HANDLE MB

Alperton

- 11-7/8" Handle with 8-5/8" Pull
- Tubular Handle and Rectangular Pull Design
- · Includes 2 sets of mounting hardware
- Ideal for 1-3/16" to 1-5/16" and 1-3/8" to 1-3/4" thick doors only
- · Finishes: Matte Black, Satin Nickel

Easy Clip Soft-Close Hardware

Easy Clip Soft-Close attachment is designed to install quickly and discreetly onto most flat track barn door hardware kits. This patent pending low profile attachment is hidden behind the track and can be easily installed in minutes to any new or previously mounted barn door kit. The first attachment of its kind attaches on both ends of the track for smooth travel and effortless open and close functionality.

Anti-slam mechanism ensures a soft, gentle open and close.

Nicely concealed behind the barn door track and does not affect the look of your door.



Kit includes two soft-close attachments and all installation components.



Hinges 1-3/8" Door



Finishes Available

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.

Ball bearing hinges are included in all Madero jamb kits.



Zinc Plated



Brushed Brass



C-10B Oil Rubbed Bronze



Satin

C-26D Brushed Nickel Chrome



Matte Black



Hinges 1-3/4" Door

Residential • Commercial • Architectural

Looking for something different? Madero distributes for all major brands of Commercial and Architectural hardware.





Square Barrel Hinge



Two Knuckle Hinge Round Tips



Five Knuckle Hinge Button Tips

IVES.

Ives offers a variety of architectural hinges, also known as butt hinges, that will cover any need in residential and commercial applications while also exceeding code requirements. Choose from high-quality hinges offered in a variety of substrates, knuckles, bearings and styles.








SIMONSWERK





SOSS











Schlage Interior Locksets



A step above the standard F Series offering, Decorative Collections allow you to add a personal touch to your home with door hardware that coordinates throughout each room.

Refer to portal.madero.ca for the complete collection.

Levers | F-Series



Broadway Family

716 622 Aged Bronze Matte Black









Satin Nickel



Latitude Family















Bowery Family







Accent Family







Antique Pewter Satin Nickel

Decorative Collections



Latitude | Collins





622 619 Matte Black Satin Nickel



Latitude | Century





MADERO INTERIORS





Tecnica Design



Tecnica series locksets are an Art Moderne inspired line developed to complement any contemporary architectural setting, or to modernize traditional spaces. These solid geometric handles maintain a distinctively clean look and the same robust quality as other Dorex series locksets. Tecnica series levers are recommended by architectural and interior design professionals for both private and public applications




The Flat





Linea





Circa





Strata





Emtek Interior Handle Sets

EMTEK.

Contemporary Passage & Privacy Sets



T-Bar Stem | Satin Brass Smooth Handle | Pewter Disk Rosette | Pewter



Knurled Handle | Flat Black Modern Rectangular Rosette



Flat Black



American Heritage

Passage & Privacy Sets

Merrimack Lever Quincy Rosette | French Antique



Dumont Lever | Satin Brass Modern Rectangular Rosette Flat Black



L-Square Stem | Satin Nickel Tribeca Handle | Satin Nickel Urban Modern Rosette | Satin Nickel

American Heritage | Glass



Astoria Glass Knob **Rectangular Rosette** Oil Rubbed Bronze



Barn Door Hardware Privacy Locks



Modern Rectangular | Barn Door Privacy Lock

Rectangular Pocket Door Mortise Locks EMTEK.

The Modern Rectangular Pocket Door Mortise Lock offers a clean, contemporary trim style and high-quality lock for your sliding interior doors. This item is a well-crafted mortise lock with an integrated push button activated edge pull, and is offered in keyed, privacy, passage or dummy applications.

- · Sold as complete set.
- · Includes screws and strike plate.
- · Must specify door thickness for Keyed and Privacy functions. Plates are 1/16" thick.



Available Functions



Privacy







Finishes











Modern Rectangular **Pocket Door Mortise Locks**

An addition to the Modern Rectangular design collection that includes entry sets, deadbolts, sliding door hardware, barn door kits and more, this sleek style is for pocket door mortise locks. This updated design has a d-ring thumbturn for easy operation and a through-bolt lock body for quick installation. Give your pocket doors a clean, contemporary trim style with a high-quality lock.



Pocket Door Latching Hardware





- For 1-3/8" Door thickness.
- · Privacy, Passage.
- · Packaged with fasteners.
- Finish options: Black (622), Satin Nickel (619).

Dimensions: 1-3/4" x 2-1/4"



JOHNSON PRIV 1-3/8_ JOHNSON DUMMY_



- For 1-3/8" Door thickness.
- · Privacy, Passage.
- · Packaged with fasteners.
- Finish options: Black (622), Satin Nickel (619), Bright Brass (3).

Shown on page 30.



JOHNSON EDGE PULL SN



- For 1-3/8" Door thickness.
- · Packaged with fasteners.
- Finish options: Black (622), Satin Nickel (619), Bright Brass (3).

Sliding & Barn Doors | Latching Hardware



Barn Door Privacy Latch



- For 1-3/8" Door thickness.
- · Surface applied.
- · Finish options: Matte Black (622).

Easy latch is compatible with most flat track barn door hardware. The locking bar mounts to the edge of the door and latches into the stop affixed to the track.







SDL Series

The SDL Series Privacy Barn Door Lock is designed for surface mounted sliding doors. It is installed on the jamb wall facing the opening to offer simple comfort and privacy when needed.

- For surface mounted side wall mounted sliding doors.
- · Handing reversible in the field.
- · Privacy function.
- · Includes Emergency Release Key.
- For doors with 3/8"- 3/4" clearance between the wall or frame and door face.
- · ADA option available.
- · Doors can be prepped in the field.
- · Available in Black Graphite and Polished Stainless Steel.
- Width 3-9/16" Height 1-7/8" Projection 9/16".

Sliding & Barn Doors | Flush Pulls



IVES.



221

- Flush pull 2-7/16" outside.
- · Ideal for use on sliding doors.
- Prong design no screws.
- · Available in all finishes.



222

- Flush pull 3-1/8" tall x 1-5/16" wide.
- · Ideal for use on sliding doors.
- · Available in all finishes.
- Shown on page 34.



223

- Flush pull 3-9/16" tall x 1-5/16" wide.
- Ideal for use on sliding doors.
- · Available in all finishes.
- · Shown on page 39.

DOREX Designer Flush Pulls



FPC402-135-630

- · Spring cover.
- · Stainless Steel finish.
- Pull size is 5-5/16" x 2-3/16".
- · Special Order.



FP224-70-630

- · Stainless Steel finish.
- Pull size is 5-5/16" x 2-3/4".



FP224-70-630

- · Stainless Steel finish.
- Pull size is 2-3/4" x 1-9/16".

Architectural Pulls | Residential Interior




MegaMet™

Effortless style in a simple design allow these pulls to offer a pleasing, functional, modern solution to any entry door.

Grip: Metal

Posts: All finishes available

STANDARD MOUNTING DETAILS



Straight Pull | Flat Ends

RM1240	Diameter 1/2"	Projection 1-3/8"
RM1250	Diameter 5/8"	Projection 1-1/2"
RM3320	Diameter 1"	Projection 2-3/4"
RM3321	Diameter 1-1/4"	Projection 3"
RM3322	Diameter 1-1/2"	Projection 3-1/4"

Optional Offset Pull | Flat Ends

RM1270	Diameter 5/8"	Projection 1-1/2"
RM3330	Diameter 1"	Projection 2-1/2"
RM3331	Diameter 1-1/4"	Projection 2-3/4"
RM3332	Diameter 1-1/2"	Projection 3"


Flush Leather

Classic pulls that unite a welcoming leather style with clean, contemporary lines. These wrapped leather pulls highlight the smooth, fitted transition between solid metal ends and a detailed leather grip.

Grip: Leather

Posts: All finishes available

STANDARD MOUNTING DETAILS



Single Thru Bolt Single Concealed

Pair Back to Back

Straight Pull | Flat Ends

RM6610	Diameter 5/8"	Projection 1-1/2"
RM6300	Diameter 1"	Projection 2-3/4"
RM6310	Diameter 1-1/4"	Projection 3"
RM6320	Diameter 1-1/2"	Projection 3-1/4"

Optional Offset Pull | Flat Ends

RM6630	Diameter 5/8"	Projection 1-1/2"
RM6330	Diameter 1"	Projection 2-1/2"
RM6340	Diameter 1-1/4"	Projection 2-3/4"
RM6350	Diameter 1-1/2"	Projection 3"

ENGLISH BRIDLE LEATHER



B-BLK (Black)

UPHOLSTERY LEATHER U-DBRN (Dark Brown)



RM6610 RM6630
*Medium Brown leather is shown.

Maximum Center to Center 30"

Architectural Pulls | Residential Interior




Maximum Center to Center 30"

NoirMet™

Make a bold statement with the subtlety of black, hard-coat anodized grips contrasted with a compelling selection of end and mounting post finishes.

Grip: Black Anodized Posts: All finishes available

STANDARD MOUNTING DETAILS



Straight Pull | Flat Ends

RM1410	Diameter 5/8"	Projection 1-1/2"
RM3800	Diameter 1"	Projection 2-3/4"
RM3810	Diameter 1-1/4"	Projection 3"
RM3820	Diameter 1-1/2"	Projection 3-1/4"

Offset Pull | Flat Ends

RM1430	Diameter 5/8"	Projection 1-1/2"
RM3830	Diameter 1"	Projection 2-1/2"
RM3840	Diameter 1-1/4"	Projection 2-3/4"
RM3850	Diameter 1-1/2"	Projection 3"


ArborMet™

Combining the strength of solid brass and stainless steel with the warm feel and varied tones of wood, these pulls add ambiance to any entrance.

Grip: Wood

Posts: All finishes available

STANDARD MOUNTING DETAILS



Straight Pull | Round Ends

RM1550	Diameter 5/8"	Projection 1-1/2"	
RM4004	Diameter 1"	Projection 2-3/4"	
RM4014	Diameter 1-1/4"	Projection 3"	
RM4024	Diameter 1-1/2"	Projection 3-1/4"	

Offset Pull | Round Ends

RM1570	Diameter 5/8"	Projection 1-1/2"
RM4034	Diameter 1"	Projection 2-1/2"
RM4044	Diameter 1-1/4"	Projection 2-3/4"
RM4054	Diameter 1-1/2"	Projection 3"



Walnut,











Cherry







Domestic

Red Oak, Standard

Maximum Center to Center 18"





Sliding & Barn Doors Flush & Round Pull

KN Crowder

ROCKWOOD ASSA ABLOY

Back-to-Back Round Door Pull & Flush Set

- For 1-3/8" or 1-3/4" door thickness.
- Packaged with fasteners.
- Finish options: Satin Stainless Steel (630) & Flat Black (622).

This door pull set is an excellent choice for barn doors. It includes a standout 18" round pull with 1" diameter, paired with a 15" x 2-1/4" flush pull.



CRT-FSP RM780 | RM790

Wood Frame Options 1-3/8" Doors

OPTION 1

Primed Pine Flat Jamb

is available in 4-9/16" and 6-9/16" jamb. Jamb sets include hinge jamb, strike jamb, header, bullnose stop 3422 and 3-1/2" ball bearing hinges.

- · 4-13/16" available December 2024.
- · Gesso coating primer is ready for painting.
- Specify Right Hand or Left Hand at time of ordering.
- · Six hinge finishes available.
- · Colonial 936 stop is available as a special order item.

OPTION 2

Primed MDF Flat Jamb

is available in 4-9/16" and 6-9/16" jamb. Jamb sets include hinge jamb, strike jamb, header, bullnose stop 3422 and 3-1/2" ball bearing hinges.

- Specify Reversible, Right Hand or Left Hand at time of ordering.
- Six hinge finishes available.
- Colonial 936 stop is available as a special order item.

OPTION 3

Primed Pine Double Rabbetted

is available in 4-9/16" jamb, machined and includes three 3-1/2" ball bearing hinges.

- · Includes hinge jamb, strike jamb, and header.
- · Specify Right Hand or Left Hand at time of ordering.
- · Six hinge finishes available.
- · Gesso coating primer is ready for painting.

Madero Single Door Jamb Packs

Door Width: 18" to 36" Door Height: 80", 84", 96"

Knock Down Unit: Pick your frames, add the door slab of your choosing. Door and frame will be shipped as a bulk pack on a horizontal pallet.

Finishes Available

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.



C-2G



Brushed











C-ID

Madero Double Door Jamb Packs

Double door frames are available in MDF and Primed Pine Flat Jamb in both 4-9/16" and 6-9/16" units. The jamb kit includes header cut to length, two hinge jambs prepped for 3 hinges, and two sets of three 3-1/2" hinges (6 finishes to choose from).



Magnetic Catch:

Each Magnetic Catch has a holding capacity of 18 pounds. Zinc plated steel strikes are shipped loose for site install. One magnet is installed into the top of the door. Both doors are active - no handing required.



Roller Catch:

The doors are machined and Roller Catches are installed. Jamb plates are installed on site. Both doors are active - no handing required.



Flushbolt (active door only):

Flushbolts are added to secure the passive side of double doors. The doors and frame are prepped and Flushbolt installed in door. Specify if the right or left hand door is active at time of ordering.





Prehung Door Systems | 1-3/8" Doors

Our door systems make remodelling easy. Factory machined doors, prehung in high-quality jambs combined with 3-1/2" ball bearing hinges, in your choice of 6 finishes.

Ready to Install

- · Lock prep for hassle free hardware installation.
- Primed pine fingerjoint jamb, or Primed MDF.

Prehung Door Systems | 1-3/4" Doors

Save time and labour on the job site with prehung assembled door systems. Factory machined doors, prehung in high-quality jambs, 4-1/2" x 4" ball bearing or self-closing hinges.

Ready to Install

- Primed fingerjoint pine with or without kerf.
- Optional 20 Minute Fire Label affixed to frame.
- Optional Door Viewer preparation, Viewer sold separately.

Suite Entry MULTI-FAMILY FIRE-RATED



20M Fire Rated Frames

Fire rated doors are often used for house and garage applications or as entrances to Multi-Family dwellings. All 20 Minute fire rated frames are available in 4-9/16", 6-3/4", 7-7/8" or 9". Custom upon request. Machined and labelled in factory - standard sizes will see the door slab 1/4" undersized in width, and 7/8" in height.

With Kerf Weatherstripping

Primed, kiln-dried finger-jointed pine jambs provide beauty and strength with a Warnock Hersey certified 20 minute fire rating. Suitable for interior or exterior use. Weatherstrip available in black or white.



Without Kerf Weatherstripping

Primed, kiln-dried finger-jointed pine jambs comply with a Warnock Hersey 20 minute fire rating. Optional adhesive smoke seal can be used with this jamb for extra sound and smoke protection.







Consider a prehung system for ease of install.

For 45-90 minute fire ratings, see our selection of galvanized hollow metal frames.

Factory painting available.





Up to 180 Minute Fire Rated Frames

Usage: Interior or Exterior -Residential, Commercial or Industrial

Expandable EF-K Frame Series

The EF-K Series are an ideal solution for commercial building applications and retrofit work on existing buildings, especially when existing wall types are unknown or vary throughout the project.



Expandable EF Frame Series

(Non-Reversible)

EF Series features a two piece frame component, held together with a bracket system and spot welded to the frame material, allowing the jamb depth to be reduced or increased based on site conditions.




K Series Drywall Frames

K Series Standard are for use with 1-3/4" steel or wood doors. They are available in a variety of standard and non-standardized sizes for use in a broad range of wood or metal stud wall constructions.



Welded Frames

Welded frames are intended for installation during wall construction and are recommended for a wide variety of interior or exterior commercial, industrial, and residential applications. They are brake-formed for tight fitting mitres that are welded and ground to achieve a smooth appearance.





CHECKLIST FOR CUSTOM INTERIOR DOOR MACHINING

Many details come together to create the perfect interior door package. Follow this important checklist to ensure your order is complete and the end result is exactly as you envisioned.

Choose ur Door	☐ Moulded P ☐ Shaker	allei		☐ Flush ☐ Glass ☐ Stile & Rail			
	Choose door s	size:					
			0 (24") 2/4 (28")		(32") 2/10 (34"	") □ 3/0 (36")	
			pecify) 7/0 (84")		pecify)		_
	Thickness:	□ 1-3/8" □ 1-3/4	Y" Core: ☐ Hollow	Solid			
STEP 2			d Double Rabbetted (on	-			
Choose our Jamb	Stop: 🗆 Bull		□ 6-9/16"(2x6) □ Other :) □ Colonial (936) able in 4-9/16"	(please specify)_			
			ubic III 4 3/10				
STEP 3		2-3/8"	ther (please specify)				
Options	•	ity: □2 □3			5/8" □ 5/8" SQ/F		
	Hinge Finish	: 🗆 🦳 🗆					
		Zinc Bi	C-4 C-10B C-15 ushed Oil Rubbed Satir Brass Bronze Nicke	Brushed	C-ID Matte Black		
	Single:		Double Doors:		Double Doors	Options:	
STEP 4					Flushbolts:	□1 (top of door) [2 (top and bottom
figuration		•			Lockset Drillin Configurations on left can be used	ig: ☐ Active Doo ☐ Both Activ	
	Left Hand Inswing Door	Right Hand Inswing Door	Left Hand Inswing Door	Right Hand Inswing Door	for reference.	☐ Dummy Ac	
		mswing booi	mswing boot	mswing boot		Dunning AC	tive & Inactive
					Roller Catch:		
	•				Magnetic Cato	ch: ☐ Yes ☐ No	
	Left Hand Outswing Doo	Right Hand or Outswing Door	Left Hand Outswing Door	Right Hand Outswing Door			
TEP 5	Qty	Size	Handing	Qt	v	Size	Handing
Б.	403	3120	nanang		J		nananig
e Doors ackage)							
e Doors ackage)							
e Doors ackage)							

Tag:_

Store Name or #:

P0 #:



Looking for a high quality, complete door and hardware package for your home or project? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Doors



Garden Patio Doors



Artisan Doors



Multi-Family



Larson Product Catalogue



Commercial